

•Version• 1.5.15 Z-TRAILERZ

[•Prévisualiser•](#)02•[Déconnexion•](#)

- [•Site•](#)
 - [•Panneau d'administration•](#)
 -
 - [•Gestion des utilisateurs•](#)
 - [•Gestion des médias•](#)
 -
 - [•Configuration générale•](#)
 -
 - [•Déconnexion•](#)
- [•Menus•](#)
 - [•Gestion des menus•](#)
 - [•Corbeille de menu•](#)
 -
 - [TOP MENU *](#)
 - [INFO MENU](#)
 - [USER MENU](#)
- [•Contenu•](#)
 - [•Gestion des articles•](#)
 - [•Corbeille article•](#)
 -
 - [•Gestion des sections•](#)
 - [•Gestion des catégories•](#)
 -
 - [•Gestion de la page d'accueil•](#)
- [•Composants•](#)
 - [•ALFContact•](#)
 - [AutoTweet](#)
 - [Messages](#)
 - [Information](#)
 - [CBJUICE](#)
 - [Process Users from or to a CSV file](#)
 - [Save Users](#)
 - [About CBJUICE](#)
 - [Community Builder](#)
 - [User Management](#)
 - [Tab Management](#)
 - [Field Management](#)
 - [List Management](#)
 - [Plugin Management](#)
 - [Tools](#)
 - [Configuration](#)
 - [•Contacts•](#)
 - [•Contacts•](#)
 - [•Catégories•](#)
 - [Content Templater](#)
 - [EventList](#)
 - [Flexbanner](#)
 - [Manage Banners](#)
 - [Manage Clients](#)
 - [Manage Links](#)
 - [Manage Locations](#)
 - [Manage Sizes](#)
 - [GAnalytics](#)
 - [GAnalytics](#)
 - [Google Analytics](#)
 - [•JPodium•](#)
 - [•Panneau de configuration•](#)
 - [•Epreuves•](#)

- [•Athlètes•](#)
 - [•Résultats•](#)
 - [•Saisons•](#)
 - [•Catégories•](#)
 - [•Manches•](#)
- [K2](#)
- [Kunena Forum](#)
- [MorfeoShow](#)
 - [Galleries](#)
 - [Configuration](#)
 - [Info](#)
- [•Recherche•](#)
- [Stalker](#)
 - [My Social Links](#)
 - [Stalker Groups](#)
 - [Social Networks](#)
- [Xmap](#)
- [•Extensions•](#)
 - [•Installer/Désinstaller•](#)
 - [•Gestion des modules•](#)
 - [•Gestion des plugins•](#)
 - [•Gestion des templates•](#)
 - [•Gestion des langues•](#)
- [•Outils•](#)
 - [•Lire les messages•](#)
 - [•Ecrire un message•](#)
 - [•Envois d'email en nombre•](#)
 - [•Validation générale•](#)
 - [•Nettoyer le cache•](#)
 - [•Purger les fichiers expirés du cache•](#)
- [•Aide•](#)
 - [•Aide Joomla!•](#)
 - [•Infos système•](#)

[•Aide•](#)

[•Gestion des extensions•](#)

- [•Installation•](#)
- [•Composants•](#)
- [•Modules•](#)
- [•Plugins•](#)
- [•Langues•](#)
- [•Templates•](#)

[•Message•](#)

- [•Installeur](#) • [Composant](#) • [Succès](#) •

??Joomla/Mambo Community Builder 1.2.2 native for Joomla! 1.5.3 - 1.5.15, 1.0.0 - 1.0.15 and Mambo 4.5.0 - 4.6.5.??

**WAIT PLEASE: DO NOT INTERRUPT INSTALLATION PROCESS:
PERFORMING SECOND INSTALLATION STEP: UNCOMPRESSING CORE
PLUGINS. If this screen stays for over 2 minutes, [please click here to continue next and last installation step](#).**



Copyright 2004-2010 MamboJoe/JoomlaJoe, Beat and CB team on joomlapolis.com . This component is released under the GNU/GPL version 2 License and parts under Community Builder Free License. All copyright statements must be kept. Derivate work must prominently duly acknowledge original work and include visible online links. Official site: www.joomlapolis.com

Installation Process:

Administrator and frontend menus corrected.

Automatic database upgrade to current version applied successfully.

[Click to Show details](#)

Core CB database upgrades done. If all lines above are in green, database upgrade completed successfully.

Otherwise, please report exact errors and queries to forum, and try checking database again in components : community builder : tools : check database.

•Attention! Le support du JavaScript doit être activé dans votre navigateur pour une utilisation optimale de l'Administration de Joomla!.

[Joomla!](#) est un *logiciel libre* distribué sous licence [GNU/GPL](#).

•Profil d'information•

Application afterLoad: 0.003 seconds, 0.33 MB

Application afterInitialise: 0.086 seconds, 3.70 MB

Application afterRoute: 0.087 seconds, 3.70 MB

Application afterDispatch: 8.332 seconds, 13.53 MB

Application afterRender: 8.384 seconds, 14.36 MB

•Occupation mémoire•

15107004

•132 requêtes envoyées•

1. **SELECT** *
FROM jos_session
WHERE session_id = 'f1dc7f1d9e6f6c1ea457020dc177e418'
2. **DELETE**
FROM jos_session
WHERE (time < '1268286197')
3. **SELECT** *
FROM jos_session
WHERE session_id = 'f1dc7f1d9e6f6c1ea457020dc177e418'
4. **UPDATE** `jos_session`
SET `time`='1268293397',`userid`='62',`usertype`='Super Administrator',`username`='YUB',`gid`='25',`guest`='0',`client_id`='1',`data`='__default|a:8:{s:15:\"session.counter\";i:17;s:19:\"session.timer.start\";i:1268292812;s:18:\"session.timer.last\";i:1268293375;s:17:\"session.timer.now\";i:1268293386;s:22:\"session.client.browser\";s:88:\"Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.5; fr; rv:1.9.2) Gecko/20100115'

```
FireFox/3.6";s:8;"registry\";O:9;"JRegistry\";s:3:{s:17:"defaultNameSpace\";s:7:"session\";s:9:"_registry\";a:2:{s:7:"session\";a:1:{s:4:"data\";O:8:"stdClass\";4:{s:21:"searchcom_comprofiler\";s:0:"\"\";s:29:"viewcom_comprofilerlimitstart\";i:0;s:29:"viewcom_comprofilerlastCBlist\";s:7:"showtab\";s:23:"com_comprofiler_install\";s:27493:\" &amp;lt;div style=&amp;quot;text-align:left;&amp;quot;&amp;gt;\r\n &amp;lt;table width=&amp;quot;100%&amp;quot;border=&amp;quot;0&amp;quot;&amp;gt;\r\n &amp;lt;tr&amp;gt;\r\n &amp;lt;td&amp;gt;\r\n &amp;lt;img src=&amp;quot;../components/com_comprofiler/images/smcblogo.gif&amp;quot; /&amp;gt;\r\n &amp;lt;/td&amp;gt;\r\n &amp;lt;/tr&amp;gt;\r\n &amp;lt;tr&amp;gt;\r\n &amp;lt;td&amp;gt;\r\n &amp;lt;br /&amp;gt;Copyright 2004-2010 MamboJoe/JoomlaJoe, Beat and CB team on joomlapolis.com . This component is released under the GNU/GPL version 2 License and parts under Community Builder Free License. All copyright statements must be kept. Derivate work must prominently duly acknowledge original work and include visible online links. Official site: &amp;lt;a href=&amp;quot;http://www.joomlapolis.com&amp;quot;&amp;gt;www.joomlapolis.com&amp;lt;/a&amp;gt;\r\n &amp;lt;br /&amp;gt;\r\n &amp;lt;/td&amp;gt;\r\n &amp;lt;/tr&amp;gt;\r\n &amp;lt;tr&amp;gt;\r\n &amp;lt;td background=&amp;quot;F0F0F0&amp;quot; colspan=&amp;quot;2&amp;quot;&amp;gt;\r\n &amp;lt;code&amp;gt;Installation Process:&amp;lt;br /&amp;gt;\r\n &amp;lt;font color='\green\'&amp;gt;Administrator and frontend menus corrected.&amp;lt;/font&amp;gt;&amp;lt;br /&amp;gt;&amp;lt;p&amp;gt;&amp;lt;font color=green&amp;gt;Automatic database upgrade to current version applied successfully.&amp;lt;/font&amp;gt;&amp;lt;/p&amp;gt;&amp;lt;/div&amp;gt;&amp;lt;a href='#' id='cbdetailsLinkShow' onclick=&amp;quot;document.getElementById('\cbdetailsdbcheck\').style.display='\'';return false;&amp;quot;&amp;gt;Click to Show details&amp;lt;/a&amp;gt;&amp;lt;/div&amp;gt;&amp;lt;div id='cbdetailsdbcheck' style='\color:green;display:none;'&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column id structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column user_id structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column firstname structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column middlename structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column lastname structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column hits structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column message_last_sent structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column message_number_sent structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column avatar structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table #__comprofiler Column avatarapproved structure is up-to-date.&amp;lt;/div&amp;gt;&amp;lt;div style=&amp;quot;font-size:100%&amp;quot;&amp;gt;Table # comprofiler Column approved
```

```

structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column confirmed structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column lastupdatedate
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column registeripaddr structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column cbactivation
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column banned structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column banneddate structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column unbanneddate
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column bannedby structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column unbannedby
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column bannedreason structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column acceptedterms
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Index PRIMARY is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Index user_id is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Index apprconfbanid is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table #__comprofiler
Index avatappr_apr_conf_ban_avatar is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler Index lastupdatedate
is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_field_values Column
fieldvalueid structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_field_values Column fieldid structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_field_values Column
fieldtitle structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_field_values Column ordering structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_field_values Column
sys structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_field_values Index PRIMARY is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_field_values Index
fieldid_ordering is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_field_values Index fieldtitle_id is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_fields Column fieldid
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_fields Column name structure is up-to-

```

```

.data.&quot;&lt;/div>&gt;Table #__comprofiler_fields Column title
size:100%&quot;&gt;Table #__comprofiler_fields Column type
structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column tabid
style=&quot;&lt;/div>&gt;Table #__comprofiler_fields Column ordering structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column cols
structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column rows structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column value
structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column default structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column published structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column registration structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column profile
structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column displaytitle structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column readyonly structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column searchable structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column calculated structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column sys structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Column pluginid structure is up-to-date.&lt;/div>&gt;Table #__comprofiler_fields Column params structure is up-to-
date.&lt;/div>&gt;Table #__comprofiler_fields Index PRIMARY
is up-to-date.&lt;/div>&gt;

```

size:100%">Table #__comprofiler_fields Index
tabid_pub_prof_order is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_fields Index readonly_published tabid is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_fields Index
registration_published_order is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column listid
structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column title structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
description structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column published structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column default
structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column usergroupids structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
useraccessgroupid structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
sortfields structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column filterfields structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column ordering
structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column colltitle structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
collenabled structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column collfields structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
col2title structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column col2enabled structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
collcaptions structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column col2fields structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
col2captions structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column col3title structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
col3enabled structure is up-to-date.</div><div
style="font-size:100%">Table
#__comprofiler_lists Column col3fields structure is up-to-
date.</div><div style="font-
size:100%">Table #__comprofiler_lists Column
col3captions structure is up-to-date.</div><div


```

style="font-size:100%";>Table
#__comprofiler_lists Column col4title structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_lists Column
col4enabled structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_lists Column col4fields structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_lists Column
col4captions structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_lists Column params structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_lists Index PRIMARY
is up-to-date.</div><div style="font-
size:100%";>Table #__comprofiler_lists Index
pub_ordering is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_lists Index default_published is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_members Column
referenceid structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_members Column memberid structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_members Column
accepted structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_members Column pending structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_members Column
membersince structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_members Column reason structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_members Column
description structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_members Column type structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_members Index PRIMARY
is up-to-date.</div><div style="font-
size:100%";>Table #__comprofiler_members Index pamr is
up-to-date.</div><div style="font-
size:100%";>Table #__comprofiler_members Index aprm is
up-to-date.</div><div style="font-
size:100%";>Table #__comprofiler_members Index
membrefid is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_plugin Column id structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_plugin Column name
structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_plugin Column element structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_plugin Column type
structure is up-to-date.</div><div
style="font-size:100%";>Table
#__comprofiler_plugin Column folder structure is up-to-
date.</div><div style="font-
size:100%";>Table #__comprofiler_plugin Column
backend_menu structure is up-to-date.</div><div

```



```

style="font-size:100%;>Table
#__comprofiler_plugin Column access structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_plugin Column
ordering structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_plugin Column published structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_plugin Column iscore
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_plugin Column client_id structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_plugin Column
checked_out structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_plugin Column checked_out_time structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_plugin Column params
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_plugin Index PRIMARY is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_plugin Index
idx_folder is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_plugin Index type_pub_order is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column tabid
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column title structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column
description structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column ordering structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column
ordering_register structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column width
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column enabled structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column
pluginclass structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column pluginid structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column fields
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column params structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column sys
structure is up-to-date.</div><div
style="font-size:100%;>Table
#__comprofiler_tabs Column displaytype structure is up-to-
date.</div><div style="font-
size:100%;>Table #__comprofiler_tabs Column position
structure is up-to-date.</div><div

```

```

style="font-size:100%";>Table
#__comprofiler_tabs Column useraccessgroupid structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_tabs Index PRIMARY is
up-to-date.</div><div style="font-size:100%";>Table #__comprofiler_tabs Index
enabled_position_ordering is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_tabs Index
orderreg_enabled_pos_order is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Column
reportid structure is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_userreports Column reporteduser structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Column
reportedbyuser structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Column
reportedondate structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Column
reportexplanation structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Column
reportedstatus structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Index
PRIMARY is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_userreports Index status_user_date is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_userreports Index
reportedbyuser_ondate is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_views Column viewer_id structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_views Column
profile_id structure is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_views Column lastip structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_views Column lastview
structure is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_views Column viewscount structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_views Column vote
structure is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_views Column lastvote structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_views Index PRIMARY
is up-to-date.</div><div style="font-size:100%";>Table #__comprofiler_views Index lastview
is up-to-date.</div><div style="font-size:100%";>Table #__comprofiler_views Index
profile_id_lastview is up-to-date.</div><div style="font-size:100%";>Table
#__comprofiler_sessions Column username structure is up-to-
date.</div><div style="font-size:100%";>Table #__comprofiler_sessions Column

```



```

        AND access <= 2
        ORDER BY ordering
6. SELECT *
   FROM jos_components
   WHERE parent = 0
7. SELECT *
   FROM jos_autotweet_automator
   WHERE id = '1'
8. SELECT template
   FROM jos_templates_menu
   WHERE client_id = 1
   AND menuid = 0
9. CREATE TABLE IF NOT EXISTS `jos_comprofiler` (
  `id` int(11) NOT NULL DEFAULT '0',
  `user_id` int(11) NOT NULL DEFAULT '0',
  `firstname` VARCHAR( 100 ),
  `middlename` VARCHAR( 100 ) ,
  `lastname` VARCHAR( 100 ),
  `hits` int(11) NOT NULL DEFAULT '0',
  `avatar` varchar(255) DEFAULT NULL,
  `avatarapproved` tinyint(4) DEFAULT '1',
  `approved` tinyint(4) NOT NULL DEFAULT '1',
  `confirmed` tinyint(4) NOT NULL DEFAULT '1',
  `lastupdatedate` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
  `banned` tinyint(4) NOT NULL DEFAULT '0',
  `banneddate` datetime DEFAULT NULL,
  `bannedby` int(11) DEFAULT NULL,
  `bannedreason` mediumtext,
  `acceptedterms` tinyint(1) NOT NULL DEFAULT '0',
  PRIMARY KEY (`id`)
) TYPE=MyISAM;
10. CREATE TABLE IF NOT EXISTS `jos_comprofiler_field_values` (
  `fieldvalueid` int(11) NOT NULL AUTO_INCREMENT,
  `fieldid` int(11) NOT NULL DEFAULT '0',
  `fieldtitle` varchar(50) NOT NULL DEFAULT '',
  `ordering` int(11) NOT NULL DEFAULT '0',
  `sys` tinyint(4) NOT NULL DEFAULT '0',
  PRIMARY KEY (`fieldvalueid`)
) TYPE=MyISAM AUTO_INCREMENT=16 ;
11. CREATE TABLE IF NOT EXISTS `jos_comprofiler_fields` (
  `fieldid` int(11) NOT NULL AUTO_INCREMENT,
  `name` varchar(50) NOT NULL DEFAULT '',
  `table` varchar(50) NOT NULL DEFAULT '#__comprofiler',
  `title` varchar(255) NOT NULL DEFAULT '',
  `type` varchar(50) NOT NULL DEFAULT '',
  `maxlength` int(11) DEFAULT NULL,
  `size` int(11) DEFAULT NULL,
  `required` tinyint(4) DEFAULT '0',
  `tabid` int(11) DEFAULT NULL,
  `ordering` int(11) DEFAULT NULL,
  `cols` int(11) DEFAULT NULL,
  `rows` int(11) DEFAULT NULL,
  `value` varchar(50) DEFAULT NULL,
  `default` MEDIUMTEXT DEFAULT NULL,
  `published` tinyint(1) NOT NULL DEFAULT '1',
  `registration` tinyint(1) NOT NULL DEFAULT '0',
  `profile` tinyint(1) NOT NULL DEFAULT '1',
  `readonly` TINYINT( 1 ) DEFAULT '0' NOT NULL,
  `calculated` tinyint(1) NOT NULL DEFAULT '0',
  `sys` tinyint(4) NOT NULL DEFAULT '0',
  PRIMARY KEY (`fieldid`)
) TYPE=MyISAM AUTO_INCREMENT=54 ;

```

```

12.      CREATE TABLE IF NOT EXISTS `jos_comprofiler_lists` (
        `listid` int(11) NOT NULL AUTO_INCREMENT,
        `title` varchar(255) NOT NULL DEFAULT '',
        `description` mediumtext,
        `published` tinyint(1) NOT NULL DEFAULT '0',
        `default` tinyint(1) DEFAULT '0' NOT NULL,
        `usergroupids` varchar(255) NULL,
        `sortfields` varchar(255) NULL,
        `ordering` int(11) NOT NULL DEFAULT '0',
        `colltitle` varchar(255) DEFAULT NULL,
        `collenabled` tinyint(1) NOT NULL DEFAULT '0',
        `collfields` mediumtext,
        `col2title` varchar(255) DEFAULT NULL,
        `col2enabled` tinyint(1) NOT NULL DEFAULT '0',
        `collcaptions` tinyint(1) NOT NULL DEFAULT '0',
        `col2fields` mediumtext,
        `col2captions` tinyint(1) NOT NULL DEFAULT '0',
        `col3title` varchar(255) DEFAULT NULL,
        `col3enabled` tinyint(1) NOT NULL DEFAULT '0',
        `col3fields` mediumtext,
        `col3captions` tinyint(1) NOT NULL DEFAULT '0',
        `col4title` varchar(255) DEFAULT NULL,
        `col4enabled` tinyint(1) NOT NULL DEFAULT '0',
        `col4fields` mediumtext,
        `col4captions` tinyint(1) NOT NULL DEFAULT '0',
        PRIMARY KEY (`listid`)
      ) TYPE=MyISAM AUTO_INCREMENT=4 ;

13.      CREATE TABLE IF NOT EXISTS `jos_comprofiler_tabs` (
        `tabid` int(11) NOT NULL AUTO_INCREMENT,
        `title` varchar(50) NOT NULL DEFAULT '',
        `description` text,
        `ordering` int(11) NOT NULL DEFAULT '0',
        `width` VARCHAR( 10 ) DEFAULT '.5' NOT NULL ,
        `enabled` TINYINT( 1 ) DEFAULT '1' NOT NULL ,
        `plugin` VARCHAR( 255 ) DEFAULT NULL ,
        `sys` tinyint(4) NOT NULL DEFAULT '0',
        PRIMARY KEY (`tabid`)
      ) TYPE=MyISAM AUTO_INCREMENT=11 ;

14.      CREATE TABLE IF NOT EXISTS `jos_comprofiler_userreports` (
        `reportid` int(11) NOT NULL AUTO_INCREMENT,
        `reporteduser` int(11) NOT NULL DEFAULT '0',
        `reportedbyuser` int(11) NOT NULL DEFAULT '0',
        `reportedondate` date NOT NULL DEFAULT '0000-00-00',
        `reportexplanation` text NOT NULL,
        `reportedstatus` tinyint(4) NOT NULL DEFAULT '0',
        PRIMARY KEY (`reportid`)
      ) TYPE=MyISAM AUTO_INCREMENT=11 ;

15.      CREATE TABLE IF NOT EXISTS `jos_comprofiler_members` (
        `referenceid` int(11) NOT NULL DEFAULT '0',
        `memberid` int(11) NOT NULL DEFAULT '0',
        `accepted` tinyint(1) NOT NULL DEFAULT '1',
        `pending` tinyint(1) NOT NULL DEFAULT '0',
        `membersince` date NOT NULL DEFAULT '0000-00-00',
        `description` varchar(255) DEFAULT NULL,
        `type` MEDIUMTEXT DEFAULT NULL,
        PRIMARY KEY (`referenceid`,`memberid`)
      ) TYPE=MyISAM ;

16.      CREATE TABLE IF NOT EXISTS `jos_comprofiler_views` (
        `viewer_id` int(11) NOT NULL DEFAULT '0',
        `profile_id` int(11) NOT NULL DEFAULT '0',
        `lastip` varchar(50) NOT NULL DEFAULT '',
        `lastview` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
        `viewscount` int(11) NOT NULL DEFAULT '0',

```

```

        `vote` tinyint(3) DEFAULT NULL,
        `lastvote` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
        PRIMARY KEY (`viewer_id`,`profile_id`,`lastip`)
    ) TYPE=MyISAM ;
17.    CREATE TABLE IF NOT EXISTS `jos_comprofiler_plugin` (
        `id` int( 11 ) NOT NULL AUTO_INCREMENT ,
        `name` varchar( 100 ) NOT NULL DEFAULT '',
        `element` varchar( 100 ) NOT NULL DEFAULT '',
        `type` varchar( 100 ) NULL DEFAULT '',
        `folder` varchar( 100 ) NULL DEFAULT '',
        `access` tinyint( 3 ) UNSIGNED NOT NULL DEFAULT '0',
        `ordering` int( 11 ) NOT NULL DEFAULT '0',
        `published` tinyint( 3 ) NOT NULL DEFAULT '0',
        `iscore` tinyint( 3 ) NOT NULL DEFAULT '0',
        `client_id` tinyint( 3 ) NOT NULL DEFAULT '0',
        `checked_out` int( 11 ) UNSIGNED NOT NULL DEFAULT '0',
        `checked_out_time` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
        `params` text NOT NULL ,
        PRIMARY KEY ( `id` ),
        KEY `idx_folder` ( `published` , `client_id` , `access` , `folder` )
    ) TYPE=MyISAM AUTO_INCREMENT=500;
18.    INSERT IGNORE INTO `jos_comprofiler_fields` (`fieldid`, `name`,
        `table`, `title`, `type`, `maxlength`, `size`, `required`, `tabid`,
        `ordering`, `cols`, `rows`, `value`, `default`, `published`,
        `registration`, `profile`, `calculated`, `sys`)

        VALUES (41, 'name', '#__users', '_UE_NAME', 'predefined', NULL,
        NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (26, 'NA', '#__comprofiler', '_UE_ONLINESTATUS', 'status', NULL,
        NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (27, 'lastvisitDate', '#__users', '_UE_LASTONLINE', 'date', NULL,
        NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (28, 'registerDate', '#__users', '_UE_MEMBERSINCE', 'date', NULL,
        NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (29, 'avatar', '#__comprofiler', '_UE_IMAGE', 'image', NULL, NULL, 0,
        NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (42, 'username', '#__users', '_UE_UNAME', 'predefined', NULL, NULL,
        0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (45, 'NA', '#__comprofiler', '_UE_FORMATNAME', 'formatname', NULL ,
        NULL , 0, NULL , NULL , NULL , NULL , NULL , 1, 0, 1, 1, 1),
        (46, 'firstname', '#__comprofiler', '_UE_YOUR_FNAME', 'predefined',
        NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (47, 'middlename', '#__comprofiler', '_UE_YOUR_MNAME', 'predefined',
        NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (48, 'lastname', '#__comprofiler', '_UE_YOUR_LNAME', 'predefined',
        NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
        (49, 'lastupdatedate', '#__comprofiler', '_UE_LASTUPDATEDON', 'date',
        NULL , NULL , 0, NULL , NULL , NULL , NULL , NULL , 1, 0, 1,
        1, 1),
        (50, 'email', '#__users', '_UE_EMAIL', 'primaryemailaddress', NULL,
        NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1);
19.    INSERT IGNORE INTO jos_comprofiler (id,user_id) SELECT id,id
        FROM jos_users
20.    INSERT IGNORE INTO `jos_comprofiler_plugin` (`id`, `name`,
        `element`, `type`, `folder`, `access`, `ordering`, `published`,
        `iscore`, `client_id`, `checked_out`, `checked_out_time`, `params`)

        VALUES (1, 'CB Core', 'cb.core', 'user', 'plug_cbcore', 0, 1, 1, 1,
        0, 0, '0000-00-00 00:00:00', ''),
        (2, 'CB Connections', 'cb.connections', 'user', 'plug_cbconnections',
        0, 3, 1, 1, 0, 0, '0000-00-00 00:00:00', ''),
        (3, 'Content Author', 'cb.authortab', 'user',
        'plug_cbmamboauthortab', 0, 4, 1, 1, 0, 0, '0000-00-00 00:00:00',

```



```

    ''),
    (4, 'Forum integration', 'cb.simpleboardtab', 'user',
    'plug_cbsimpleboardtab', 0, 5, 0, 1, 0, 0, '0000-00-00 00:00:00',
    ''),
    (5, 'Mamblog Blog', 'cb.mamblogtab', 'user', 'plug_cbmamblogtab', 0,
    6, 0, 1, 0, 0, '0000-00-00 00:00:00', ''),
    (6, 'YaNC Newsletters', 'yanc', 'user', 'plug_yancintegration', 0, 7,
    0, 1, 0, 0, '0000-00-00 00:00:00', ''),
    (7, 'Default', 'default', 'templates', 'default', 0, 1, 1, 1, 0, 0,
    '0000-00-00 00:00:00', ''),
    (8, 'WinClassic', 'winclassic', 'templates', 'winclassic', 0, 2, 1,
    1, 0, 0, '0000-00-00 00:00:00', ''),
    (9, 'WebFX', 'webfx', 'templates', 'webfx', 0, 3, 1, 1, 0, 0, '0000-
    00-00 00:00:00', ''),
    (10, 'OSX', 'osx', 'templates', 'osx', 0, 4, 1, 1, 0, 0, '0000-00-00
    00:00:00', ''),
    (11, 'Luna', 'luna', 'templates', 'luna', 0, 5, 1, 1, 0, 0, '0000-00-
    00 00:00:00', ''),
    (12, 'Dark', 'dark', 'templates', 'dark', 0, 6, 1, 1, 0, 0, '0000-00-
    00 00:00:00', ''),
    (13, 'Default language (English)', 'default_language', 'language',
    'default_language', 0, -1, 1, 1, 0, 0, '0000-00-00 00:00:00', ''),
    (14, 'CB Menu', 'cb.menu', 'user', 'plug_cbmenu', 0, 2, 1, 1, 0, 0,
    '0000-00-00 00:00:00', ''),
    (15, 'PMS MyPMS and Pro', 'pms.mypmspro', 'user',
    'plug_pms_mypmspro', 0, 8, 0, 1, 0, 0, '0000-00-00 00:00:00', '');
21.     SELECT id, params, enabled
        FROM jos_components
        WHERE `option` = 'com_comprofiler'
        ORDER BY `parent` ASC
22.     DELETE
        FROM jos_components
        WHERE `option` = 'com_comprofiler'
23.     INSERT INTO jos_components
        VALUES( 34, 'Community Builder', 'option=com_comprofiler', 0, 0,
        'option=com_comprofiler', 'Community Builder', 'com_comprofiler', 0,
        'js/ThemeOffice/component.png', 0, '', 1 )
24.     INSERT INTO `jos_components` (
        `name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
        ption`, `ordering`, `admin_menu_img`, `iscore` )
        VALUES ( 'User
        Management', '', '0', '34', 'option=com_comprofiler&task=showusers', 'User
        Management', 'com_comprofiler', '0', 'js/ThemeOffice/component.png', '0'
        )
25.     INSERT INTO `jos_components` (
        `name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
        ption`, `ordering`, `admin_menu_img`, `iscore` )
        VALUES ( 'Tab
        Management', '', '0', '34', 'option=com_comprofiler&task=showTab', 'Tab
        Management', 'com_comprofiler', '1', 'js/ThemeOffice/component.png', '0'
        )
26.     INSERT INTO `jos_components` (
        `name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
        ption`, `ordering`, `admin_menu_img`, `iscore` )
        VALUES ( 'Field
        Management', '', '0', '34', 'option=com_comprofiler&task=showField', 'Fiel
        d
        Management', 'com_comprofiler', '2', 'js/ThemeOffice/component.png', '0'
        )
27.     INSERT INTO `jos_components` (
        `name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
        ption`, `ordering`, `admin_menu_img`, `iscore` )
        VALUES ( 'List

```



```

Management','','0','34','option=com_comprofiler&task=showLists','List
Management','com_comprofiler','3','js/ThemeOffice/component.png','0'
)
28.      INSERT INTO `jos_components` (
`name`,`link`,`menuid`,`parent`,`admin_menu_link`,`admin_menu_alt`,`o
ption`,`ordering`,`admin_menu_img`,`iscore`)
      VALUES ( 'Plugin
Management','','0','34','option=com_comprofiler&task=showPlugins','Pl
ugin
Management','com_comprofiler','4','js/ThemeOffice/component.png','0'
)
29.      INSERT INTO `jos_components` (
`name`,`link`,`menuid`,`parent`,`admin_menu_link`,`admin_menu_alt`,`o
ption`,`ordering`,`admin_menu_img`,`iscore`)
      VALUES (
'Tools','','0','34','option=com_comprofiler&task=tools','Tools','com_
comprofiler','5','js/ThemeOffice/component.png','0' )
30.      INSERT INTO `jos_components` (
`name`,`link`,`menuid`,`parent`,`admin_menu_link`,`admin_menu_alt`,`o
ption`,`ordering`,`admin_menu_img`,`iscore`)
      VALUES (
'Configuration','','0','34','option=com_comprofiler&task=showconfig',
'Configuration','com_comprofiler','6','js/ThemeOffice/component.png',
'0' )
31.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/static.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showLists'
32.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/content.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showField'
33.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/article.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showTab'
34.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/config.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showconfig'
35.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/user.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showusers'
36.      UPDATE jos_components
      SET admin_menu_img='js/ThemeOffice/plugin.png'
      WHERE admin_menu_link='option=com_comprofiler&task=showPlugins'
37.      SELECT COUNT(*)
      FROM jos_components
      WHERE link = 'option=com_comprofiler'
38.      SELECT id
      FROM jos_components
      WHERE link = 'option=com_comprofiler'
      ORDER BY id DESC
      LIMIT 1
39.      DELETE
      FROM jos_components
      WHERE link = 'option=com_comprofiler'
      AND id != 34
40.      DELETE
      FROM jos_components
      WHERE jos_components.OPTION = 'com_comprofiler'
      AND parent != 34
      AND id != 34
41.      UPDATE jos_menu
      SET componentid=34
      WHERE type = 'component'
      AND link LIKE '%option=com_comprofiler%'

```

```

42.      SHOW COLUMNS
      FROM `jos_comprofiler_lists`
43.      SHOW COLUMNS
      FROM `jos_comprofiler`
44.      SHOW COLUMNS
      FROM `jos_comprofiler_tabs`
45.      SHOW COLUMNS
      FROM `jos_comprofiler_fields`
46.      SELECT listid
      FROM jos_comprofiler_lists
      ORDER BY ordering ASC, published DESC
47.      UPDATE jos_comprofiler_lists
      SET ordering = 0
      WHERE listid='2'
48.      SELECT *
      FROM `jos_comprofiler_tabs`
      ORDER BY `tabid`
49.      SHOW TABLES
50.      SHOW COLUMNS
      FROM `jos_comprofiler`
51.      SHOW INDEX
      FROM `jos_comprofiler`
52.      SHOW TABLES
53.      SHOW COLUMNS
      FROM `jos_comprofiler_field_values`
54.      SHOW INDEX
      FROM `jos_comprofiler_field_values`
55.      SHOW TABLES
56.      SHOW COLUMNS
      FROM `jos_comprofiler_fields`
57.      SHOW INDEX
      FROM `jos_comprofiler_fields`
58.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 41
59.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 26
60.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 25
61.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 27
62.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 28
63.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 29
64.      SELECT *
      FROM `jos_comprofiler_fields`

      WHERE `fieldid` = 42
65.      SELECT *
      FROM `jos_comprofiler_fields`

```

```

WHERE `fieldid` = 45
66.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 46
67.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 47
68.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 48
69.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 49
70.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 50
71.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 51
72.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 52
73.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 24
74.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 23
75.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 22
76.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 21
77.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 20
78.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 19
79.     SELECT *
        FROM `jos_comprofiler_fields`

WHERE `fieldid` = 18
80.     SHOW TABLES
81.     SHOW COLUMNS
        FROM `jos_comprofiler_lists`
82.     SHOW INDEX
        FROM `jos_comprofiler_lists`

```

```

83.      SHOW TABLES
84.      SHOW COLUMNS
      FROM `jos_comprofiler_members`
85.      SHOW INDEX
      FROM `jos_comprofiler_members`
86.      SHOW TABLES
87.      SHOW COLUMNS
      FROM `jos_comprofiler_plugin`
88.      SHOW INDEX
      FROM `jos_comprofiler_plugin`
89.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 1
90.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 2
91.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 3
92.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 4
93.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 5
94.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 6
95.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 7
96.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 8
97.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 9
98.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 10
99.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 11
100.     SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 12
101.     SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 13

```

```

102.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 14
103.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 15
104.      SHOW TABLES
105.      SHOW COLUMNS
      FROM `jos_comprofiler_tabs`
106.      SHOW INDEX
      FROM `jos_comprofiler_tabs`
107.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 11
108.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 12
109.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 13
110.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 14
111.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 15
112.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 16
113.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 17
114.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 18
115.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 19
116.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 20
117.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 21
118.      SELECT *
      FROM `jos_comprofiler_tabs`

      WHERE `tabid` = 22
119.      SHOW TABLES

```

```

120.      SHOW COLUMNS
      FROM `jos_comprofiler_userreports`
121.      SHOW INDEX
      FROM `jos_comprofiler_userreports`
122.      SHOW TABLES
123.      SHOW COLUMNS
      FROM `jos_comprofiler_views`
124.      SHOW INDEX
      FROM `jos_comprofiler_views`
125.      SHOW TABLES
126.      SHOW COLUMNS
      FROM `jos_comprofiler_sessions`
127.      SHOW INDEX
      FROM `jos_comprofiler_sessions`
128.      SELECT m.*
      FROM jos_modules AS m
      WHERE published = 1
      AND m.access <= 2
      AND m.client_id = 1
      ORDER BY m.ordering, m.id
129.      SELECT a.*, SUM(b.home) AS home
      FROM jos_menu_types AS a
      LEFT JOIN jos_menu AS b
      ON b.menutype = a.menutype
      GROUP BY a.id
130.      SELECT *
      FROM jos_components
      WHERE `option` <> "com_frontpage"
      AND `option` <> "com_media"
      AND enabled = 1
      ORDER BY ordering, name
131.      SELECT COUNT(*)
      FROM jos_messages
      WHERE state = 0
      AND user_id_to = 62
132.      SELECT COUNT( session_id )
      FROM jos_session
      WHERE guest <> 1

```

•Fichiers langue chargés•

- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_nonumberelements.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.plg_system_nonumberelements.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_ie8_compatibility.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.plg_system_ie8_compatibility.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_debug.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_installer.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_comprofiler.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_comprofiler.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.tpl_khepri.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_submenu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_title.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_toolbar.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_alfcontact.menu.ini 1

- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_autotweet.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_autotweet.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_cbjuice.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_cbjuice.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_comprofiler.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_comprofiler.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_contact.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_contenttemplater.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_contenttemplater.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_jpodium.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_eventlist.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_eventlist.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_flexbanner.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_flexbanner.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_morfeoshow.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_morfeoshow.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_ganalytics.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_ganalytics.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_k2.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_k2.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_kunena.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_kunena.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_stalker.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_stalker.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_search.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_xmap.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_xmap.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_banners.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_newsfeeds.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_weblinks.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_status.ini 1

•Diagnostic des phrases non traduites•

JOOMLA/MAMBO COMMUNITY BUILDER 1.2.2 NATIVE FOR JOOMLA! 1.5.3 - 1.5.15,
1.0.0 - 1.0.15 AND MAMBO 4.5.0 - 4.6.5. ::include()

[/Users/YUB/Sites/Z-
TRAILERZ/1.5.x/1.5.15/libraries/joomla/application/component/view.php:564]

•Phrase non traduite•

/Users/YUB/Sites/Z-
TRAILERZ/1.5.x/1.5.15/libraries/joomla/application/component/view.php
JOOMLA/MAMBO COMMUNITY BUILDER 1.2.2 NATIVE FOR JOOMLA! 1.5.3 - 1.5.15,
1.0.0 - 1.0.15 AND MAMBO 4.5.0 - 4.6.5.=Joomla/Mambo Community Builder
1.2.2 native for Joomla! 1.5.3 - 1.5.15, 1.0.0 - 1.0.15 and Mambo 4.5.0 -
4.6.5.

•Version• 1.5.15 Z-TRAILERZ

[•Prévisualiser•02](#)•[Déconnexion](#)•

- •Site•
 - [•Panneau d'administration•](#)
 -
 - [•Gestion des utilisateurs•](#)
 - [•Gestion des médias•](#)
 -
 - [•Configuration générale•](#)
 -
 - [•Déconnexion•](#)
- •Menus•
 - [•Gestion des menus•](#)
 - [•Corbeille de menu•](#)
 -
 - [TOP MENU *](#)
 - [INFO MENU](#)
 - [USER MENU](#)
- •Contenu•
 - [•Gestion des articles•](#)
 - [•Corbeille article•](#)
 -
 - [•Gestion des sections•](#)
 - [•Gestion des catégories•](#)
 -
 - [•Gestion de la page d'accueil•](#)
- •Composants•
 - [•ALFContact•](#)
 - [AutoTweet](#)
 - [Messages](#)
 - [Information](#)
 - [CBJUICE](#)
 - [Process Users from or to a CSV file](#)
 - [Save Users](#)
 - [About CBJUICE](#)
 - [Community Builder](#)
 - [User Management](#)
 - [Tab Management](#)
 - [Field Management](#)
 - [List Management](#)
 - [Plugin Management](#)
 - [Tools](#)
 - [Configuration](#)
 - [•Contacts•](#)
 - [•Contacts•](#)
 - [•Catégories•](#)
 - [Content Templater](#)
 - [EventList](#)
 - [Flexbanner](#)
 - [Manage Banners](#)
 - [Manage Clients](#)

- [Manage Links](#)
 - [Manage Locations](#)
 - [Manage Sizes](#)
 - [GAnalytics](#)
 - [GAnalytics](#)
 - [Google Analytics](#)
 - [JPodium](#)
 - [Panneau de configuration](#)
 - [Epreuves](#)
 - [Athlètes](#)
 - [Résultats](#)
 - [Saisons](#)
 - [Catégories](#)
 - [Manches](#)
 - [K2](#)
 - [Kunena Forum](#)
 - [MorfeoShow](#)
 - [Galleries](#)
 - [Configuration](#)
 - [Info](#)
 - [Recherche](#)
 - [Stalker](#)
 - [My Social Links](#)
 - [Stalker Groups](#)
 - [Social Networks](#)
 - [Xmap](#)
- [Extensions](#)
 - [Installer/Désinstaller](#)
 - [Gestion des modules](#)
 - [Gestion des plugins](#)
 - [Gestion des templates](#)
 - [Gestion des langues](#)
- [Outils](#)
 - [Lire les messages](#)
 - [Ecrire un message](#)
 - [Envois d'email en nombre](#)
 - [Validation générale](#)
 - [Nettoyer le cache](#)
 - [Purger les fichiers expirés du cache](#)
- [Aide](#)
 - [Aide Joomla!](#)
 - [Infos système](#)

[Aide](#)

[Gestion des extensions](#)

- [Installation](#)
- [Composants](#)
- [Modules](#)
- [Plugins](#)
- [Langues](#)
- [Templates](#)

[Message](#)

- [Installeur](#) • [Composant](#) • [Succès](#) •

??Joomla/Mambo Community Builder 1.2.2 native for Joomla! 1.5.3 - 1.5.15, 1.0.0 - 1.0.15 and Mambo 4.5.0 - 4.6.5.??

**WAIT PLEASE: DO NOT INTERRUPT INSTALLATION PROCESS:
PERFORMING SECOND INSTALLATION STEP: UNCOMPRESSING CORE
PLUGINS. If this screen stays for over 2 minutes, [please click here to continue next and
last installation step.](#)**

Copyright 2004-2010 MamboJoe/JoomlaJoe, Beat and CB team on joomlapolis.com . This component is released under the GNU/GPL version 2 License and parts under Community Builder Free License. All copyright statements must be kept. Derivate work must prominently duly acknowledge original work and include visible online links. Official site: www.joomlapolis.com

Installation Process:

Administrator and frontend menus corrected.

Automatic database upgrade to current version applied successfully.

[Click to Show details](#)

Core CB database upgrades done. If all lines above are in green, database upgrade completed successfully.

Otherwise, please report exact errors and queries to forum, and try checking database again in components : community builder : tools : check database.

•Attention! Le support du JavaScript doit être activé dans votre navigateur pour une utilisation optimale de l'Administration de Joomla!.

[Joomla!](#) est un *logiciel libre* distribué sous licence [GNU/GPL](#).

•Profil d'information•

Application afterLoad: 0.003 seconds, 0.33 MB

Application afterInitialise: 0.086 seconds, 3.70 MB

Application afterRoute: 0.087 seconds, 3.70 MB

Application afterDispatch: 8.332 seconds, 13.53 MB

Application afterRender: 8.384 seconds, 14.36 MB

•Occupation mémoire•

15107004

•132 requêtes envoyées•

1. **SELECT** *
FROM jos_session
WHERE session_id = 'f1dc7f1d9e6f6c1ea457020dc177e418'
2. **DELETE**
FROM jos_session
WHERE (time < '1268286197')
3. **SELECT** *
FROM jos_session
WHERE session_id = 'f1dc7f1d9e6f6c1ea457020dc177e418'
4. **UPDATE** `jos_session`
SET `time`='1268293397',`userid`='62',`usertype`='Super Administrator',`username`='YUB',`gid`='25',`guest`='0',`client_id`='1',`data`='__default|a:8:{s:15:\"session.counter\";i:17;s:19:\"session.timer.start\";i:1268292812;s:18:\"session.timer.last\";i:1268293375;s:17:\"session.timer.now\";i:1268293386;s:22:\"session.client.browser\";s:88:\"Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.5; fr; rv:1.9.2) Gecko/20100115 Firefox/3.6\";s:8:\"registry\";O:9:\"JRegistry\";:3:{s:17:\"_defaultNamespace\";s:7:\"session\";s:9:\"_registry\";a:2:{s:7:\"session\";a:1:{s:4:\"data\";O:8:\"stdClass\";:4:{s:21:\"searchcom_comprofiler\";s:0:\"\";s:29:\"viewcom_comprofilerlimitstart\";i:0;s:29:\"viewcom_compro

```

filerlastCBlist\";s:7:\"showtab\";s:23:\"com_comprofiler_install\";s:
27493:\" &lt;div style=\"&quot;text-
align:left;&quot;&gt;\r\n &lt;table
width=\"&quot;100%&quot;
border=\"&quot;0&quot;&gt;\r\n &lt;tr&gt;\r\n
&lt;td&gt;\r\n &lt;img
src=\"&quot;../components/com_comprofiler/images/smcblog.gif&quot;g
uot; /&gt;\r\n &lt;/td&gt;\r\n
&lt;/tr&gt;\r\n &lt;tr&gt;\r\n
&lt;td&gt;\r\n &lt;br /&gt;Copyright 2004-2010
MamboJoe/JoomlaJoe, Beat and CB team on joomlapolis.com . This
component is released under the GNU/GPL version 2 License and parts
under Community Builder Free License. All copyright statements must
be kept. Derivate work must prominently duly acknowledge original
work and include visible online links. Official site: &lt;a
href=\"&quot;http://www.joomlapolis.com&quot;&gt;www.joomla
polis.com&lt;/a&gt;\r\n &lt;br /&gt;\r\n
&lt;/td&gt;\r\n &lt;/tr&gt;\r\n
&lt;tr&gt;\r\n &lt;td
background=\"&quot;F0F0F0&quot;
colspan=\"&quot;2&quot;&gt;\r\n
&lt;code&gt;Installation Process:&lt;br /&gt;\r\n
&lt;font color=\"'green'&gt;Administrator and frontend
menus corrected.&lt;/font&gt;&lt;br
/&gt;&lt;p&gt;&lt;font color=green&gt;Automatic
database upgrade to current version applied
successfully.&lt;/font&gt;&lt;p&gt;&lt;div&gt;
t;&lt;a href=\"'#\" id=\"'cbdetailsLinkShow\"
onclick=\"&quot;document.getElementById(\"'cbdetailsdbcheck\"').style
.display=\"'\";return false;&quot;&gt;Click to Show
details&lt;/a&gt;&lt;/div&gt;&lt;div
id=\"'cbdetailsdbcheck\"
style=\"'color:green;display:none;\"&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column id structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column user_id structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column firstname
structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column middlename structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column lastname
structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column hits structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column message_last_sent structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column
message_number_sent structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column avatar
structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column avatarapproved structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-
size:100%&quot;&gt;Table #__comprofiler Column approved
structure is up-to-date.&lt;/div&gt;&lt;div
style=\"&quot;font-size:100%&quot;&gt;Table #__comprofiler
Column confirmed structure is up-to-
date.&lt;/div&gt;&lt;div style=\"&quot;font-

```

```

size:100%&quot;&amp;gt;Table #__comprofiler Column lastupdatedate
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Column registeripaddr structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler Column cbactivation
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Column banned structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Column banneddate structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler Column unbanneddate
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Column bannedby structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler Column unbannedby
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Column bannedreason structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler Column acceptedterms
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Index PRIMARY is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Index user_id is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Index apprconfbanid is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table #__comprofiler
Index avatappr_apr_conf_ban_avatar is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler Index lastupdatedate
is up-to-date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_field_values Column
fieldvalueid structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table
#__comprofiler_field_values Column fieldid structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_field_values Column
fieldtitle structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table
#__comprofiler_field_values Column ordering structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_field_values Column
sys structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table
#__comprofiler_field_values Index PRIMARY is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_field_values Index
fieldid_ordering is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table
#__comprofiler_field_values Index fieldtitle_id is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_fields Column fieldid
structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table
#__comprofiler_fields Column name structure is up-to-
date.&lt;/div&amp;gt;&amp;lt;/div style=&quot;font-
size:100%&quot;&amp;gt;Table #__comprofiler_fields Column
tablecolumns structure is up-to-date.&lt;/div&amp;gt;&amp;lt;/div
style=&quot;font-size:100%&quot;&amp;gt;Table

```

```

#__comprofiler_fields Column table structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column title
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column description structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column type
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column maxlength structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column size
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column required structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column tabid
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column ordering structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column cols
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column rows structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column value
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column default structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column
published structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column registration structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column profile
structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column displaytitle structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column
readonly structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column searchable structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column
calculated structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column sys structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Column
pluginid structure is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
#__comprofiler_fields Column params structure is up-to-
date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Index PRIMARY
is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_fields Index
tabid_pub_prof_order is up-to-date.&lt;/div>&lt;/div style=&quot;font-
size:100%&quot;&gt;&gt;Table
# comprofiler fields Index readonly published tabid is up-to-

```

[illegible]


```

col4enabled structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_lists Column col4fields structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_lists Column
col4captions structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_lists Column params structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_lists Index PRIMARY
is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_lists Index
pub_ordering is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_lists Index default_published is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Column
referenceid structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_members Column memberid structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Column
accepted structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_members Column pending structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Column
membersince structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_members Column reason structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Column
description structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_members Column type structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Index PRIMARY
is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Index pamr is
up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Index aprm is
up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_members Index
membrefid is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column id structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column name
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column element structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column type
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column folder structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column
backend_menu structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column access structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column

```

```

ordering structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column published structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column iscore
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column client_id structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column
checked_out structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Column checked_out_time structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Column params
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Index PRIMARY is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_plugin Index
idx_folder is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_plugin Index type_pub_order is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column tabid
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column title structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column
description structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column ordering structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column
ordering_register structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column width
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column enabled structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column
pluginclass structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column pluginid structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column fields
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column params structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column sys
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column displaytype structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Column position
structure is up-to-date.&lt;/div&gt;&lt;/div
style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_tabs Column useraccessgroupid structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-
size:100%&quot;&gt;Table #__comprofiler_tabs Index PRIMARY is

```

```

up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_tabs Index
enabled_position_ordering is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_tabs Index
orderreg_enabled_pos_order is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Column
reportid structure is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_userreports Column reporteduser structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Column
reportedbyuser structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Column
reportedondate structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Column
reportexplanation structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Column
reportedstatus structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Index
PRIMARY is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_userreports Index status_user_date is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_userreports Index
reportedbyuser_ondate is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_views Column viewer_id structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Column
profile_id structure is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_views Column lastip structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Column lastview
structure is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_views Column viewscount structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Column vote
structure is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_views Column lastvote structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Index PRIMARY
is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Index lastview
is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_views Index
profile_id_lastview is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_sessions Column username structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table #__comprofiler_sessions Column
userid structure is up-to-date.&lt;/div&gt;&lt;/div style=&quot;font-size:100%&quot;&gt;Table
#__comprofiler_sessions Column ui structure is up-to-
date.&lt;/div&gt;&lt;/div style=&quot;font-

```

```

size:100%&quot;&gt;&gt;Table #__comprofiler_sessions Column
incoming_ip structure is up-to-date.&lt;/div&gt;&lt;div
style=&quot;font-size:100%&quot;&gt;&gt;Table
#__comprofiler_sessions Column client_ip structure is up-to-
date.&lt;/div&gt;&lt;div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_sessions Column
session_id structure is up-to-date.&lt;/div&gt;&lt;div
style=&quot;font-size:100%&quot;&gt;&gt;Table
#__comprofiler_sessions Column session_data structure is up-to-
date.&lt;/div&gt;&lt;div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_sessions Column
expiry_time structure is up-to-date.&lt;/div&gt;&lt;div
style=&quot;font-size:100%&quot;&gt;&gt;Table
#__comprofiler_sessions Index PRIMARY is up-to-
date.&lt;/div&gt;&lt;div style=&quot;font-
size:100%&quot;&gt;&gt;Table #__comprofiler_sessions Index
expiry_time is up-to-date.&lt;/div&gt;&lt;div
style=&quot;font-size:100%&quot;&gt;&gt;Table
#__comprofiler_sessions Index userid is up-to-
date.&lt;/div&gt;&lt;div&gt;&lt;/div&gt;&lt;p&gt;&gt;Core CB
database upgrades done. If all lines above are in green, database
upgrade completed successfully. Otherwise, please report exact errors
and queries to forum, and try checking database again in components :
community builder : tools : check
database.&lt;/p&gt;&lt; &lt;/code&gt;&lt;\r\n
&lt;/td&gt;&lt;\r\n &lt;/tr&gt;&lt;\r\n
&lt;tr&gt;&lt;\r\n &lt;td&gt;&lt;\r\n
&lt;/td&gt;&lt;\r\n &lt;/tr&gt;&lt;\r\n
&lt;/table&gt;&lt;\r\n &lt;/div&gt;&lt;\r\n
\";}}s:11:\"application\";a:1:{s:4:\"data\";O:8:\"stdClass\";:1:{s:4:\"
lang\";s:0:\"\";}}s:7:\"_errors\";a:0:}}s:4:\"user\";O:5:\"JUser\"
:19:{s:2:\"id\";s:2:\"62\";s:4:\"name\";s:15:\"Matthieu
Hubert\";s:8:\"username\";s:3:\"YUB\";s:5:\"email\";s:22:\"yubbyone@z
-
trailerz.fr\";s:8:\"password\";s:65:\"dalcb4d2e6f26d619f98d89e1ad1c35
3:NcrxgOxKAZZzStrSlCnQTWGHvgqW8G8Y\";s:14:\"password_clear\";s:0:\"\"
;s:8:\"usertype\";s:19:\"Super
Administrator\";s:5:\"block\";s:1:\"0\";s:9:\"sendEmail\";s:1:\"1\";s
:3:\"gid\";s:2:\"25\";s:12:\"registerDate\";s:19:\"2009-08-12
22:12:43\";s:13:\"lastvisitDate\";s:19:\"2010-03-11
07:33:17\";s:10:\"activation\";s:0:\"\";s:6:\"params\";s:69:\"admin_l
anguage=fr-FR\nlanguage=fr-
FR\neditor=jce\nhelpsite=\ntimezone=1\n\n\";s:3:\"aid\";i:2;s:5:\"gue
st\";i:0;s:7:\"_params\";O:10:\"JParameter\";:7:{s:4:\"_raw\";s:0:\"\"
;s:4:\"_xml\";N;s:9:\"_elements\";a:0:}}s:12:\"_elementPath\";a:1:{i:
0;s:80:\"/Users/YUB/Sites/Z-
TRAILERZ/1.5.x/1.5.15/libraries/joomla/html/parameter/element\";}}s:17
:\"_defaultNamespace\";s:8:\"_default\";s:9:\"_registry\";a:1:{s:8:\"
_default\";a:1:{s:4:\"data\";O:8:\"stdClass\";:5:{s:14:\"admin_languag
e\";s:5:\"fr-FR\";s:8:\"language\";s:5:\"fr-
FR\";s:6:\"editor\";s:3:\"jce\";s:8:\"helpsite\";s:0:\"\";s:8:\"timez
one\";s:1:\"1\";}}s:7:\"_errors\";a:0:}}s:9:\"_errorMsg\";N;s:7:\"_
errors\";a:0:}}s:13:\"session.token\";s:32:\"b753bfc86ca89fb21b063b0
dee9efe67\";}}'
WHERE session_id='f1dc7f1d9e6f6c1ea457020dc177e418'

```

5. **SELECT** folder **AS** type, element **AS** name, params
FROM jos_plugins
WHERE published >= 1
AND access <= 2
ORDER BY ordering
6. **SELECT** *
FROM jos_components
WHERE parent = 0

```

7. SELECT *
   FROM jos_autotweet_automator
   WHERE id = '1'
8. SELECT template
   FROM jos_templates_menu
   WHERE client_id = 1
   AND menuid = 0
9. CREATE TABLE IF NOT EXISTS `jos_comprofiler` (
  `id` int(11) NOT NULL DEFAULT '0',
  `user_id` int(11) NOT NULL DEFAULT '0',
  `firstname` VARCHAR( 100 ),
  `middlename` VARCHAR( 100 ) ,
  `lastname` VARCHAR( 100 ),
  `hits` int(11) NOT NULL DEFAULT '0',
  `avatar` varchar(255) DEFAULT NULL,
  `avatarapproved` tinyint(4) DEFAULT '1',
  `approved` tinyint(4) NOT NULL DEFAULT '1',
  `confirmed` tinyint(4) NOT NULL DEFAULT '1',
  `lastupdatedate` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
  `banned` tinyint(4) NOT NULL DEFAULT '0',
  `banneddate` datetime DEFAULT NULL,
  `bannedby` int(11) DEFAULT NULL,
  `bannedreason` mediumtext,
  `acceptedterms` tinyint(1) NOT NULL DEFAULT '0',
  PRIMARY KEY (`id`)
) TYPE=MyISAM;
10. CREATE TABLE IF NOT EXISTS `jos_comprofiler_field_values` (
  `fieldvalueid` int(11) NOT NULL AUTO_INCREMENT,
  `fieldid` int(11) NOT NULL DEFAULT '0',
  `fieldtitle` varchar(50) NOT NULL DEFAULT '',
  `ordering` int(11) NOT NULL DEFAULT '0',
  `sys` tinyint(4) NOT NULL DEFAULT '0',
  PRIMARY KEY (`fieldvalueid`)
) TYPE=MyISAM AUTO_INCREMENT=16 ;
11. CREATE TABLE IF NOT EXISTS `jos_comprofiler_fields` (
  `fieldid` int(11) NOT NULL AUTO_INCREMENT,
  `name` varchar(50) NOT NULL DEFAULT '',
  `table` varchar(50) NOT NULL DEFAULT '#__comprofiler',
  `title` varchar(255) NOT NULL DEFAULT '',
  `type` varchar(50) NOT NULL DEFAULT '',
  `maxlength` int(11) DEFAULT NULL,
  `size` int(11) DEFAULT NULL,
  `required` tinyint(4) DEFAULT '0',
  `tabid` int(11) DEFAULT NULL,
  `ordering` int(11) DEFAULT NULL,
  `cols` int(11) DEFAULT NULL,
  `rows` int(11) DEFAULT NULL,
  `value` varchar(50) DEFAULT NULL,
  `default` MEDIUMTEXT DEFAULT NULL,
  `published` tinyint(1) NOT NULL DEFAULT '1',
  `registration` tinyint(1) NOT NULL DEFAULT '0',
  `profile` tinyint(1) NOT NULL DEFAULT '1',
  `readonly` TINYINT( 1 ) DEFAULT '0' NOT NULL,
  `calculated` tinyint(1) NOT NULL DEFAULT '0',
  `sys` tinyint(4) NOT NULL DEFAULT '0',
  PRIMARY KEY (`fieldid`)
) TYPE=MyISAM AUTO_INCREMENT=54 ;
12. CREATE TABLE IF NOT EXISTS `jos_comprofiler_lists` (
  `listid` int(11) NOT NULL AUTO_INCREMENT,
  `title` varchar(255) NOT NULL DEFAULT '',
  `description` mediumtext,
  `published` tinyint(1) NOT NULL DEFAULT '0',
  `default` tinyint(1) DEFAULT '0' NOT NULL,

```

```

`usergroupids` varchar(255) NULL,
`sortfields` varchar(255) NULL,
`ordering` int(11) NOT NULL DEFAULT '0',
`coll1title` varchar(255) DEFAULT NULL,
`coll1enabled` tinyint(1) NOT NULL DEFAULT '0',
`coll1fields` mediumtext,
`col2title` varchar(255) DEFAULT NULL,
`col2enabled` tinyint(1) NOT NULL DEFAULT '0',
`coll1captions` tinyint(1) NOT NULL DEFAULT '0',
`col2fields` mediumtext,
`col2captions` tinyint(1) NOT NULL DEFAULT '0',
`col3title` varchar(255) DEFAULT NULL,
`col3enabled` tinyint(1) NOT NULL DEFAULT '0',
`col3fields` mediumtext,
`col3captions` tinyint(1) NOT NULL DEFAULT '0',
`col4title` varchar(255) DEFAULT NULL,
`col4enabled` tinyint(1) NOT NULL DEFAULT '0',
`col4fields` mediumtext,
`col4captions` tinyint(1) NOT NULL DEFAULT '0',
PRIMARY KEY (`listid`)
) TYPE=MyISAM AUTO_INCREMENT=4 ;
13. CREATE TABLE IF NOT EXISTS `jos_comprofiler_tabs` (
`tabid` int(11) NOT NULL AUTO_INCREMENT,
`title` varchar(50) NOT NULL DEFAULT '',
`description` text,
`ordering` int(11) NOT NULL DEFAULT '0',
`width` VARCHAR( 10 ) DEFAULT '.5' NOT NULL ,
`enabled` TINYINT( 1 ) DEFAULT '1' NOT NULL ,
`plugin` VARCHAR( 255 ) DEFAULT NULL ,
`sys` tinyint(4) NOT NULL DEFAULT '0',
PRIMARY KEY (`tabid`)
) TYPE=MyISAM AUTO_INCREMENT=11 ;
14. CREATE TABLE IF NOT EXISTS `jos_comprofiler_userreports` (
`reportid` int(11) NOT NULL AUTO_INCREMENT,
`reporteduser` int(11) NOT NULL DEFAULT '0',
`reportedbyuser` int(11) NOT NULL DEFAULT '0',
`reportedondate` date NOT NULL DEFAULT '0000-00-00',
`reportexplanation` text NOT NULL,
`reportedstatus` tinyint(4) NOT NULL DEFAULT '0',
PRIMARY KEY (`reportid`)
) TYPE=MyISAM AUTO_INCREMENT=11 ;
15. CREATE TABLE IF NOT EXISTS `jos_comprofiler_members` (
`referenceid` int(11) NOT NULL DEFAULT '0',
`memberid` int(11) NOT NULL DEFAULT '0',
`accepted` tinyint(1) NOT NULL DEFAULT '1',
`pending` tinyint(1) NOT NULL DEFAULT '0',
`membersince` date NOT NULL DEFAULT '0000-00-00',
`description` varchar(255) DEFAULT NULL,
`type` MEDIUMTEXT DEFAULT NULL,
PRIMARY KEY (`referenceid`,`memberid`)
) TYPE=MyISAM ;
16. CREATE TABLE IF NOT EXISTS `jos_comprofiler_views` (
`viewer_id` int(11) NOT NULL DEFAULT '0',
`profile_id` int(11) NOT NULL DEFAULT '0',
`lastip` varchar(50) NOT NULL DEFAULT '',
`lastview` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
`viewscount` int(11) NOT NULL DEFAULT '0',
`vote` tinyint(3) DEFAULT NULL,
`lastvote` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
PRIMARY KEY (`viewer_id`,`profile_id`,`lastip`)
) TYPE=MyISAM ;
17. CREATE TABLE IF NOT EXISTS `jos_comprofiler_plugin` (
`id` int( 11 ) NOT NULL AUTO_INCREMENT ,

```



```

`name` varchar( 100 ) NOT NULL DEFAULT '',
`element` varchar( 100 ) NOT NULL DEFAULT '',
`type` varchar( 100 ) NULL DEFAULT '',
`folder` varchar( 100 ) NULL DEFAULT '',
`access` tinyint( 3 ) UNSIGNED NOT NULL DEFAULT '0',
`ordering` int( 11 ) NOT NULL DEFAULT '0',
`published` tinyint( 3 ) NOT NULL DEFAULT '0',
`iscore` tinyint( 3 ) NOT NULL DEFAULT '0',
`client_id` tinyint( 3 ) NOT NULL DEFAULT '0',
`checked_out` int( 11 ) UNSIGNED NOT NULL DEFAULT '0',
`checked_out_time` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
`params` text NOT NULL ,
PRIMARY KEY ( `id` ) ,
KEY `idx_folder` ( `published` , `client_id` , `access` , `folder` )
) TYPE=MyISAM AUTO_INCREMENT=500;
18. INSERT IGNORE INTO `jos_comprofiler_fields` (`fieldid`, `name`,
`table`, `title`, `type`, `maxlength`, `size`, `required`, `tabid`,
`ordering`, `cols`, `rows`, `value`, `default`, `published`,
`registration`, `profile`, `calculated`, `sys`)

VALUES (41, 'name', '#__users', '_UE_NAME', 'predefined', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(26, 'NA', '#__comprofiler', '_UE_ONLINESTATUS', 'status', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(27, 'lastvisitDate', '#__users', '_UE_LASTONLINE', 'date', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(28, 'registerDate', '#__users', '_UE_MEMBERSINCE', 'date', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(29, 'avatar', '#__comprofiler', '_UE_IMAGE', 'image', NULL, NULL, 0,
NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(42, 'username', '#__users', '_UE_UNAME', 'predefined', NULL, NULL,
0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(45, 'NA', '#__comprofiler', '_UE_FORMATNAME', 'formatname', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(46, 'firstname', '#__comprofiler', '_UE_YOUR_FNAME', 'predefined',
NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(47, 'middlename', '#__comprofiler', '_UE_YOUR_MNAME', 'predefined',
NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(48, 'lastname', '#__comprofiler', '_UE_YOUR_LNAME', 'predefined',
NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1),
(49, 'lastupdatedate', '#__comprofiler', '_UE_LASTUPDATEDON', 'date',
NULL, NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1,
1, 1),
(50, 'email', '#__users', '_UE_EMAIL', 'primaryemailaddress', NULL,
NULL, 0, NULL, NULL, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1);
19. INSERT IGNORE INTO jos_comprofiler (id,user_id) SELECT id,id
FROM jos_users
20. INSERT IGNORE INTO `jos_comprofiler_plugin` (`id`, `name`,
`element`, `type`, `folder`, `access`, `ordering`, `published`,
`iscore`, `client_id`, `checked_out`, `checked_out_time`, `params`)

VALUES (1, 'CB Core', 'cb.core', 'user', 'plug_cbcore', 0, 1, 1, 1,
0, 0, '0000-00-00 00:00:00', ''),
(2, 'CB Connections', 'cb.connections', 'user', 'plug_cbconnections',
0, 3, 1, 1, 0, 0, '0000-00-00 00:00:00', ''),
(3, 'Content Author', 'cb.authortab', 'user',
'plug_cbmamboauthortab', 0, 4, 1, 1, 0, 0, '0000-00-00 00:00:00',
''),
(4, 'Forum integration', 'cb.simpleboardtab', 'user',
'plug_cbsimpleboardtab', 0, 5, 0, 1, 0, 0, '0000-00-00 00:00:00',
''),
(5, 'Mamblog Blog', 'cb.mamblogtab', 'user', 'plug_cbmamblogtab', 0,
6, 0, 1, 0, 0, '0000-00-00 00:00:00', ''),

```



```

(6, 'Yanc Newsletters', 'yanc', 'user', 'plug_yancintegration', 0, 7,
0, 1, 0, 0, '0000-00-00 00:00:00', ''),
(7, 'Default', 'default', 'templates', 'default', 0, 1, 1, 1, 0, 0,
'0000-00-00 00:00:00', ''),
(8, 'WinClassic', 'winclassic', 'templates', 'winclassic', 0, 2, 1,
1, 0, 0, '0000-00-00 00:00:00', ''),
(9, 'WebFX', 'webfx', 'templates', 'webfx', 0, 3, 1, 1, 0, 0, '0000-
00-00 00:00:00', ''),
(10, 'OSX', 'osx', 'templates', 'osx', 0, 4, 1, 1, 0, 0, '0000-00-00
00:00:00', ''),
(11, 'Luna', 'luna', 'templates', 'luna', 0, 5, 1, 1, 0, 0, '0000-00-
00 00:00:00', ''),
(12, 'Dark', 'dark', 'templates', 'dark', 0, 6, 1, 1, 0, 0, '0000-00-
00 00:00:00', ''),
(13, 'Default language (English)', 'default_language', 'language',
'default_language', 0, -1, 1, 1, 0, 0, '0000-00-00 00:00:00', ''),
(14, 'CB Menu', 'cb.menu', 'user', 'plug_cbmenu', 0, 2, 1, 1, 0, 0,
'0000-00-00 00:00:00', ''),
(15, 'PMS MyPMS and Pro', 'pms.mypmspro', 'user',
'plug_pms_mypmspro', 0, 8, 0, 1, 0, 0, '0000-00-00 00:00:00', '');
21.      SELECT id, params, enabled
      FROM jos_components
      WHERE `option` = 'com_comprofiler'
      ORDER BY `parent` ASC
22.      DELETE
      FROM jos_components
      WHERE `option` = 'com_comprofiler'
23.      INSERT INTO jos_components
      VALUES( 34, 'Community Builder', 'option=com_comprofiler', 0, 0,
'option=com_comprofiler', 'Community Builder', 'com_comprofiler', 0,
'js/ThemeOffice/component.png', 0, '1' )
24.      INSERT INTO `jos_components` (
`name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
ption`, `ordering`, `admin_menu_img`, `iscore` )
      VALUES ( 'User
Management', '', '0', '34', 'option=com_comprofiler&task=showusers', 'User
Management', 'com_comprofiler', '0', 'js/ThemeOffice/component.png', '0'
)
25.      INSERT INTO `jos_components` (
`name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
ption`, `ordering`, `admin_menu_img`, `iscore` )
      VALUES ( 'Tab
Management', '', '0', '34', 'option=com_comprofiler&task=showTab', 'Tab
Management', 'com_comprofiler', '1', 'js/ThemeOffice/component.png', '0'
)
26.      INSERT INTO `jos_components` (
`name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
ption`, `ordering`, `admin_menu_img`, `iscore` )
      VALUES ( 'Field
Management', '', '0', '34', 'option=com_comprofiler&task=showField', 'Fiel
d
Management', 'com_comprofiler', '2', 'js/ThemeOffice/component.png', '0'
)
27.      INSERT INTO `jos_components` (
`name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
ption`, `ordering`, `admin_menu_img`, `iscore` )
      VALUES ( 'List
Management', '', '0', '34', 'option=com_comprofiler&task=showLists', 'List
Management', 'com_comprofiler', '3', 'js/ThemeOffice/component.png', '0'
)
28.      INSERT INTO `jos_components` (
`name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `o
ption`, `ordering`, `admin_menu_img`, `iscore` )

```

```

VALUES ( 'Plugin
Management','','0','34','option=com_comprofiler&task=showPlugins','Pl
ugin
Management','com_comprofiler','4','js/ThemeOffice/component.png','0'
)
29.      INSERT INTO `jos_components` (
`name`,`link`,`menuid`,`parent`,`admin_menu_link`,`admin_menu_alt`,`o
ption`,`ordering`,`admin_menu_img`,`iscore` )
VALUES (
'Tools','','0','34','option=com_comprofiler&task=tools','Tools','com_
comprofiler','5','js/ThemeOffice/component.png','0' )
30.      INSERT INTO `jos_components` (
`name`,`link`,`menuid`,`parent`,`admin_menu_link`,`admin_menu_alt`,`o
ption`,`ordering`,`admin_menu_img`,`iscore` )
VALUES (
'Configuration','','0','34','option=com_comprofiler&task=showconfig',
'Configuration','com_comprofiler','6','js/ThemeOffice/component.png',
'0' )
31.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/static.png'
WHERE admin_menu_link='option=com_comprofiler&task=showLists'
32.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/content.png'
WHERE admin_menu_link='option=com_comprofiler&task=showField'
33.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/article.png'
WHERE admin_menu_link='option=com_comprofiler&task=showTab'
34.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/config.png'
WHERE admin_menu_link='option=com_comprofiler&task=showconfig'
35.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/user.png'
WHERE admin_menu_link='option=com_comprofiler&task=showusers'
36.      UPDATE jos_components
SET admin_menu_img='js/ThemeOffice/plugin.png'
WHERE admin_menu_link='option=com_comprofiler&task=showPlugins'
37.      SELECT COUNT(*)
FROM jos_components
WHERE link = 'option=com_comprofiler'
38.      SELECT id
FROM jos_components
WHERE link = 'option=com_comprofiler'
ORDER BY id DESC
LIMIT 1
39.      DELETE
FROM jos_components
WHERE link = 'option=com_comprofiler'
AND id != 34
40.      DELETE
FROM jos_components
WHERE jos_components.OPTION = 'com_comprofiler'
AND parent != 34
AND id != 34
41.      UPDATE jos_menu
SET componentid=34
WHERE type = 'component'
AND link LIKE '%option=com_comprofiler%'
42.      SHOW COLUMNS
FROM `jos_comprofiler_lists`
43.      SHOW COLUMNS
FROM `jos_comprofiler`
44.      SHOW COLUMNS
FROM `jos_comprofiler_tabs`

```

```

45.      SHOW COLUMNS
FROM `jos_comprofiler_fields`
46.      SELECT listid
FROM jos_comprofiler_lists
ORDER BY ordering ASC, published DESC
47.      UPDATE jos_comprofiler_lists
SET ordering = 0
WHERE listid='2'
48.      SELECT *
FROM `jos_comprofiler_tabs`
ORDER BY `tabid`
49.      SHOW TABLES
50.      SHOW COLUMNS
FROM `jos_comprofiler`
51.      SHOW INDEX
FROM `jos_comprofiler`
52.      SHOW TABLES
53.      SHOW COLUMNS
FROM `jos_comprofiler_field_values`
54.      SHOW INDEX
FROM `jos_comprofiler_field_values`
55.      SHOW TABLES
56.      SHOW COLUMNS
FROM `jos_comprofiler_fields`
57.      SHOW INDEX
FROM `jos_comprofiler_fields`
58.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 41
59.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 26
60.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 25
61.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 27
62.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 28
63.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 29
64.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 42
65.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 45
66.      SELECT *
FROM `jos_comprofiler_fields`

WHERE `fieldid` = 46

```

```

67.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 47
68.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 48
69.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 49
70.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 50
71.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 51
72.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 52
73.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 24
74.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 23
75.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 22
76.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 21
77.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 20
78.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 19
79.      SELECT *
        FROM `jos_comprofiler_fields`

        WHERE `fieldid` = 18
80.      SHOW TABLES
81.      SHOW COLUMNS
        FROM `jos_comprofiler_lists`
82.      SHOW INDEX
        FROM `jos_comprofiler_lists`
83.      SHOW TABLES
84.      SHOW COLUMNS
        FROM `jos_comprofiler_members`
85.      SHOW INDEX
        FROM `jos_comprofiler_members`
86.      SHOW TABLES

```

```
87.      SHOW COLUMNS
      FROM `jos_comprofiler_plugin`
88.      SHOW INDEX
      FROM `jos_comprofiler_plugin`
89.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 1
90.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 2
91.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 3
92.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 4
93.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 5
94.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 6
95.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 7
96.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 8
97.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 9
98.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 10
99.      SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 11
100.     SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 12
101.     SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 13
102.     SELECT *
      FROM `jos_comprofiler_plugin`

      WHERE `id` = 14
103.     SELECT *
      FROM `jos_comprofiler_plugin`
```

```

WHERE `id` = 15
104.     SHOW TABLES
105.     SHOW COLUMNS
FROM `jos_comprofiler_tabs`
106.     SHOW INDEX
FROM `jos_comprofiler_tabs`
107.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 11
108.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 12
109.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 13
110.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 14
111.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 15
112.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 16
113.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 17
114.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 18
115.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 19
116.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 20
117.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 21
118.     SELECT *
FROM `jos_comprofiler_tabs`

WHERE `tabid` = 22
119.     SHOW TABLES
120.     SHOW COLUMNS
FROM `jos_comprofiler_userreports`
121.     SHOW INDEX
FROM `jos_comprofiler_userreports`
122.     SHOW TABLES
123.     SHOW COLUMNS
FROM `jos_comprofiler_views`

```

```

124.      SHOW INDEX
      FROM `jos_comprofiler_views`
125.      SHOW TABLES
126.      SHOW COLUMNS
      FROM `jos_comprofiler_sessions`
127.      SHOW INDEX
      FROM `jos_comprofiler_sessions`
128.      SELECT m.*
      FROM jos_modules AS m
      WHERE published = 1
      AND m.access <= 2
      AND m.client_id = 1
      ORDER BY m.ordering, m.id
129.      SELECT a.*, SUM(b.home) AS home
      FROM jos_menu_types AS a
      LEFT JOIN jos_menu AS b
      ON b.menutype = a.menutype
      GROUP BY a.id
130.      SELECT *
      FROM jos_components
      WHERE `option` <> "com_frontpage"
      AND `option` <> "com_media"
      AND enabled = 1
      ORDER BY ordering, name
131.      SELECT COUNT(*)
      FROM jos_messages
      WHERE state = 0
      AND user_id_to = 62
132.      SELECT COUNT( session_id )
      FROM jos_session
      WHERE guest <> 1

```

•Fichiers langue chargés•

- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_nonnumberelements.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.plg_system_nonnumberelements.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_ie8_compatibility.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.plg_system_ie8_compatibility.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.plg_system_debug.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_installer.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_comprofiler.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_comprofiler.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.tpl_khepri.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_submenu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_title.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_toolbar.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_alfcontact.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_autotweet.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_autotweet.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_cbjuice.menu.ini

- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_cbjuice.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_comprofiler.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_comprofiler.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_contact.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_contenttemplater.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_contenttemplater.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_jpodium.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_eventlist.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_eventlist.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_flexbanner.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_flexbanner.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_morfeoshow.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_morfeoshow.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_ganalytics.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_ganalytics.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_k2.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_k2.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_kunena.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_kunena.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_stalker.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_stalker.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_search.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_xmap.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/en-GB/en-GB.com_xmap.menu.ini
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_banners.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_newsfeeds.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.com_weblinks.menu.ini 1
- /Users/YUB/Sites/Z-TRAILERZ/1.5.x/1.5.15/administrator/language/fr-FR/fr-FR.mod_status.ini 1

•Diagnostic des phrases non traduites•

```

Joomla/Mambo Community Builder 1.2.2 Native for Joomla! 1.5.3 - 1.5.15,
1.0.0 - 1.0.15 AND Mambo 4.5.0 - 4.6.5.      ::include()
    [/Users/YUB/Sites/Z-
TRAILERZ/1.5.x/1.5.15/libraries/joomla/application/component/view.php:564]

```

•Phrase non traduite•

```

# /Users/YUB/Sites/Z-
TRAILERZ/1.5.x/1.5.15/libraries/joomla/application/component/view.php
Joomla/Mambo Community Builder 1.2.2 Native for Joomla! 1.5.3 - 1.5.15,

```


1.0.0 - 1.0.15 AND MAMBO 4.5.0 - 4.6.5.=Joomla/Mambo Community Builder
1.2.2 native for Joomla! 1.5.3 - 1.5.15, 1.0.0 - 1.0.15 and Mambo 4.5.0 -
4.6.5.